

## "T" bracket non-metallic buried copper distribution pedestals for small copper pair-counts

Pedlock® CPLT Series Pedestals provide the flexibility, durability and reliability to be a cost-efficient enclosure for small pair-count terminations and splices. A specially-designed "T" Bracket accommodates terminal blocks of up to 25 pair counts, Charles Kwik-Kase® and Ready Access Load Coil Cases, or Charles Smart Coil Kwik Kases®.

The CPLT Series, like all Charles Pedlock Buried Distribution Pedestals, feature a base and one-piece locking dome that create a patented "bell-jar effect" for flood-proof protection of inner cabling. CPLT Pedestals are an excellent choice for flood prone areas and have proven themselves in the field for more than 35 years.

### MARKETS SERVED:

- Telecom / FTTX
- Utility
- Wireless
- Broadband Cable



CPLT 4

CPLT 4-I

### FEATURES


- Designed to house and protect small pair-count terminations and splices
- Non-metallic, lightweight PVC construction resists corrosion, impact, fire, floods, chemicals and insects
- Rigid, non-conductive T-Bracket easily secures to rail mounting system in pedestal base; provides secure mounting post for terminal blocks
- Universal backboard (U-backboard) is easily installed or removed from new rail mounting brackets without the use of tools. A new universal hole pattern accommodates all types of terminal blocks
- 2-post metal grounding bar with ground lug designed to meet all RUS grounding requirements
- Lift-off dome allows 360° access to internal areas; includes 216-tool hex-head lock
- Small pair-count twisted-pair splices
- Terminal blocks
- Charles Ready Access Load Coil Cases
- Charles Load Coils in Kwik-Kases®
- Charles Smart Coils in Kwik-Kases®

# Product Outline Dimensions

## CPLT Series 2 Round Base with Stake Dimensions

All dimensions are in inches


Size	A	B	C	D	E	F	G	H
4"	5.2"	27.2"	38.2"	34.2"	26.9"	61.1"	31"	5.6"



## CPLT Series 2 Round Base with Stake Dimensions

All dimensions are in inches

Size	A	B	C	D	E
4"	5.2"	27.2"	33.7"	24.5"	58.2"



# Ordering Information

<u>Part Number</u>	<u>Description</u>
CPLT 4	4" pedestal, round base, "T" bracket, ground bar with ground lug, warning label, 2 tie wraps
CPLT 4-I	4" Pedestal, integral stake base, "T" bracket, ground bar with ground lug, warning label, 2 tie wraps, drop wire channel and plug

## PEDESTAL ACCESSORIES

<u>Part Number</u>	<u>Description</u>
UMS36-STD	36" Steel Mounting Stake and Hardware (order in multiples of 10 – ship 10 per box)
UMS42-STD	42" Steel Mounting Stake and Hardware (order in multiples of 10 – ship 10 per box)
UMB102A	Pole Mounting Bracket and Hardware (order in multiples of 10 – ship 10 per box)
97-500500-A	10" Insulated Ground Braids (pkg. 50)
97-500501-A	12" Insulated Ground Braids (pkg. 50)
97-500502-A	18" Insulated Ground Braids (pkg. 50)
97-500512-A	Ground Lug (pkg. 100)




CPLT 4 with 25-pair Terminal Block

## Charles Industries, LLC

An Amphenol Company

1450 American Lane, 20th Floor, Schaumburg, IL 60173

 [mktserv@charlesindustries.com](mailto:mktserv@charlesindustries.com)

 (847) 806-6300

