Pole Mount Shrouds for Remote Radio Heads



SHRD52 Series Shrouds are vented, outdoor shrouds designed to house and protect customer-supplied radios and ancillary equipment. Constructed of .125" welded aluminum, these robust shrouds are suitable for many RRH and cMRO radio deployments and are NEC compliant.

SHRD52 models include the following configurations: SHRD52-107 supports (3) low power radios in a small form factor. It can be used as an add-on cabinet for an existing SHRD52 installation where more equipment is needed or as a standalone installation if a small form factor is needed. SHRD52-601 supports two dual band radios with a power supply. SHRD52-991 is an empty shroud with a universal backplane that can be configured in multiple configurations to support almost any application.

Several color options are available, see chart on page 2 for standard options. Several color options are available, see chart on page 2 for standard options.

Dimensions and Weight:

SHRD52-107 SHRD52-601 SHRD52-991 19"Hx23"Wx16"D, approx. 49 lbs. 64"Hx23"Wx14"D, approx. 100 lbs. 48"Hx22"Wx15"D, approx. 78 lbs.

Supported Radios:

SHRD52-107 SHRD52-601 SHRD52-991 (2) Ericsson 220x and (1) Nokia FWHR
(2) Nokia Ahxxx
Universal backplane – can be configured in multiple ways with separate bracket kits for a variety of radios.

Electrical:

DC Rectifier (SHRD52-601 only) Bonding and Grounding

Environmental:

Operating Temp. Range, Outside Enclosure Operating Temp Range, Inside Enclosure Humidity (% RH) Altitude Delta ESR-48/38A Two 2x8 position ground bars

-40° to +115°F, -40° to 46°C -40° to +131°F, -40° to 55°C 0 to 95% (non-condensing) Up to 2,000 meters (6,560')





PAGE 1

For additional product information, please visit **www.charlesindustries.com**

OG-OSP020-B20

Charles Industries, LLC An Amphenol Company Phone: (847) 806-6300 Fax: (847) 806-6231 Web: www.charlesindustries.com



Pole Mount Shrouds for Remote Radio Heads

SHRD52 CONFIGURATIONS & COLOR OPTIONS

PART NUMBER	STANDARD MOUNTING	OVERALL DIM. (in.)	RADIOS SUPPORTED	COLOR	LOAD CENTER	THERMAL SPECS	INTEGRATED POWER	WEIGHT EMPTY (lbs.)
SHRD52-107AAGN1	Pole Mount	19x23x16	(2) Ericsson 220x and (1) Nokia FWHR	Off White	None	Vent	None	49
SHRD52-107BAGN1	Pole Mount	19x23x16	(2) Ericsson 220x and (1) Nokia FWHR	Staid Gray Metallic	None	Vent	None	49
SHRD52-107DAGN1	Pole Mount	19x23x16	(2) Ericsson 220x and (1) Nokia FWHR	Gray, RAL7035	None	Vent	None	49
SHRD52-107FAGN1	Pole Mount	19x23x16	(2) Ericsson 220x and (1) Nokia FWHR	Black	None	Vent	None	49
SHRD52-107GAGN1	Pole Mount	19x23x16	(2) Ericsson 220x and (1) Nokia FWHR	National Park Brown	None	Vent	None	49
SHRD52-601AHGN2	Pole Mount	64x23x16	(1) Nokia B66RRH4X45 and (1) B25RRH4X30 or (2) Nokia AHxxx	Off White	None	Vent	(2) Delta 20A	100
SHRD52-601DHGN2	Pole Mount	64x23x16	(1) Nokia B66RRH4X45 and (1) B25RRH4X30 or (2) Nokia AHxxx	Gray, RAL7035	None	Vent	(2) Delta 20A	100
SHRD52-601FHGN2	Pole Mount	64x23x16	(1) Nokia B66RRH4X45 and (1) B25RRH4X30 or (2) Nokia AHxxx	Black	None	Vent	(2) Delta 20A	100
SHRD52-601GHGN2	Pole Mount	64x23x16	(1) Nokia B66RRH4X45 and (1) B25RRH4X30 or (2) Nokia AHxxx	National Park Brown	None	Vent	(2) Delta 20A	100
SHRD52-991AXGN1	Pole Mount	48x22x15	Empty – Shroud configurable for various radios with separate bracket kits	Off White	None	Vent	None	78
SHRD52-991BXGN1	Pole Mount	48x22x15	Empty – Shroud configurable for various radios with separate bracket kits	Staid Gray Metallic	None	Vent	None	78
SHRD52-991DXGN1	Pole Mount	48x22x15	Empty – Shroud configurable for various radios with separate bracket kits	Gray, RAL7035	None	Vent	None	78
SHRD52-991FXGN1	Pole Mount	48x22x15	Empty – Shroud configurable for various radios with separate bracket kits	Black	None	Vent	None	78
SHRD52-991GXGN1	Pole Mount	48x22x15	Empty – Shroud configurable for various radios with separate bracket kits	National Park Brown	None	Vent	None	78

DESCRIPTION

SHRD52 ACCESSORIES

SHRDJZ ACCESSORIES			DESCRIPTION
		97-SH52CHN4DWPA	SHRD52-991 pole mount kit with 4" offset, AC load center, meter socket, Off White
PART NUMBER	DESCRIPTION	97-SH52CHN4DWPD	SHRD52-991 pole mount kit with 4" offset, AC load center, meter socket, RAL7035 Gray
02-200290-0	Off White Touch Up Paint	97-SH52CHN4DWPF	SHRD52-991 pole mount kit with 4" offset, AC load center, meter socket, Black
02-000592-0	Sky White Touch Up Paint	97-SH52CHN4DWPG	SHRD52-991 pole mount kit with 4" offset, AC load center, meter socket, National Park Brown
02-000588-0	Staid Gray Metallic Touch Up Paint	97-SH52CHN4SCED	SHRD52-991 pole mount kit with 4" offset, AC load center, AC Disconnect, fuses, RAL7035 Gray
02-000589-0	Textrured Gray Touch Up Paint Griffin Gray Touch Up Paint	97-SH52CHN4SCEF	SHRD52-991 pole mount kit with 4" offset, AC load center, AC Disconnect, fuses, Black
02-000587-0		97-SH52CHN4SCEG	SHRD52-991 pole mount kit with 4" offset, AC load center, AC Disconnect, fuses, National Park Brown
02-000590-0	Black Touch Up Paint	97-SH52CHN4XXXA	SHRD52-991 pole mount kit with 4" offset, Off White
02-000585-0	National Park Brown Touch Up Paint	97-SH52CHN4XXXD	SHRD52-991 pole mount kit with 4" offset, RAL7035 Gray
97-002321A-A	SHRD52-107 pole mount kit, Off White	97-SH52CHN4XXXF	SHRD52-991 pole mount kit with 4" offset, Black
97-002321A-A	SHRD52-107 pole mount kit, Staid Gray Metallic	97-SH52CHN4XXXG	SHRD52-991 pole mount kit with 4" offset, National Park Brown
97-002321D-A	SHRD52-107 pole mount kit, RAL7035 Gray	97-SH52CHN6DWPA	SHRD52-991 pole mount kit with 6" offset, AC load center, meter socket, Off White
97-002321E-A	SHRD52-107 pole mount kit, Black	97-SH52CHN6DWPD	SHRD52-991 pole mount kit with 6" offset, AC load center, meter socket, RAL7035 Gray
97-002321G-A	SHRD52-107 pole mount kit, National Park Brown	97-SH52CHN6DWPF	SHRD52-991 pole mount kit with 6" offset, AC load center, meter socket, Black
97-002190-A	3" Offset Pole Mount Kit, Off White	97-SH52CHN6DWPG	SHRD52-991 pole mount kit with 6" offset, AC load center, meter socket, National Park Brown
97-002572-A	6" Offset Pole Mount Kit, Off White	97-SH52CHN6SCED	SHRD52-991 pole mount kit with 6" offset, AC load center, AC Disconnect, fuses, RAL7035 Gray
31-002312-A	o onset i die Mount Rit, on White	97-SH52CHN6SCEF	SHRD52-991 pole mount kit with 6" offset, AC load center, AC Disconnect, fuses, Black
		97-SH52CHN6SCEG	SHRD52-991 pole mount kit with 6" offset, AC load center, AC Disconnect, fuses, National Park Brown
		97-SH52CHN6XXXA	SHRD52-991 pole mount kit with 6" offset, Off White
		97-SH52CHN6XXXD	SHRD52-991 pole mount kit with 6" offset, RAL7035 Gray
		97-SH52CHN6XXXF	SHRD52-991 pole mount kit with 6" offset, Black
PAGE 2		97-SH52CHN6XXXG	SHRD52-991 pole mount kit with 6" offset, National Park Brown

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, LLC An Amphenol Company

PART NUMBER

 Phone:
 (847) 806-6300


 Fax:
 (847) 806-6231

 Web:
 www.charlesindustries.com



Pole Mount Shrouds for Remote Radio Heads

SHRD52-107 DIMENSIONS



All dimension in inches.

PAGE 3

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, LLC An Amphenol Company
 Phone:
 (847) 806-6300


 Fax:
 (847) 806-6231

 Web:
 www.charlesindustries.com



Pole Mount Shrouds for Remote Radio Heads

SHRD52-601 DIMENSIONS



All dimension in inches.


Tharles.

PAGE 4

INNOVATIVE ENCLOSED SOLUTIONS[™]

Charles Industries, LLC An Amphenol Company Fax: (847) 806-6231 Web: www.charlesindustries.com

Pole Mount Shrouds for Remote Radio Heads



SHRD52-991 DIMENSIONS

All dimension in inches.

PAGE 5

INNOVATIVE ENCLOSED SOLUTIONS™

Charles Industries, LLC An Amphenol Company
 Phone:
 (847) 806-6300

 Fax:
 (847) 806-6231

 Web:
 www.charlesindustries.com

