

Charles Fiber Distribution Point (CFDP) Pedestals

Charles Fiber Distribution Point (CFDP) and Buried Distribution Optical (BDO) Pedestals

| APROMS # | Oracle # | Description | Charles Part # |
|---------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| Fiber Serving Terminals (FST) | | | |
| 301152039 | ATT.100409560 | 6" CFDP, expanded split base, inner dome, fiber backboard with one splice tray, 36" mounting stake | .CFDP206-EPS/ATW |
| 301152054 | ATT.100069220 | 6" CFDP, expanded split base, inner dome, fiber backboard with one splice tray | .CFDP206-EPS/ATT |
| 301152088 | ATT.100001732 | 6" CFDP, integral stake base, inner dome, fiber backboard with one splice tray | .CFDP206-IPS/ATT |
| 333060960 | ATT.100004169 | 6" CFDP, expanded split base, inner doors, fiber backboard with one hinged splice tray | .CFDP206-ELB/BS0 |
| 334060969 | ATT.100004171 | 6" CFDP, expanded split base, inner doors, fiber backboard with one hinged splice tray, 30" mounting stake | .CFDP206-ELB/BST |
| — | ATT.200010224 | 8" CFDP, fiber serving terminal, stub-out with one 12-fiber splice tray, 30" mounting stake | .CFDP308-EPS/ATW |
| — | ATT.200010223 | 8" CFDP, fiber serving terminal, stub-out with one 12-fiber splice tray | .CFDP308-EPS/ATT |
| 316146596 | ATT.100081458 | 8" CFDP, handhole-mount square base w/hardware & moisture pad, inner dome, fiber backboard with 1 splice tray | .CFDP208EVPS/ATT |
| For Multi-Port Fiber Terminal Blocks (MFT) | | | |
| | ATT.100090162 | 10" Fiber Ped, square vault mount base, universal backboard, 5 post bond bar w/ ground lug, mounting bracket, moisture barrier | .CPLU310V/ATT |
| For Brownfield MFT, Copper Terminal Block with Copper Splice | | | |
| | ATT.200006022 | 10" CP2, brownfield, expanded split base, 3-sided backboard for 2, 4 or 8 port fiber MST, copper terminal, copper splice storage, 5 copper D-clips | .CP210-CTFT/ATT |
| | ATT.200006019 | 12" CP2, brownfield, expanded split base, 3-sided backboard for 12 port fiber MST, copper terminal, copper splice storage, 5 copper D-clips | .CP212-CTFT/ATT |




BDO ON VAULT MOUNT



**CFDP206-EPS & CFDP208-EPS
WITH FIBER SPLICE
COMPARTMENT**




**CPLM 6/ATT
PEDESTAL
FOR CORNING
FLEX-TERM**
(shown with 2
accessory bend
control kits
[#FBRK10/ATT]
and 4-Port Corning
Flex Term)



**CP210-CTFT/ATT FOR MST, COPPER
TERMINAL, AND COPPER SPLICE**
(views of 3-sided backboard)

Charles Fiber Distribution Point (CFDP) Pedestals — Fiber to the Cell Site (FTTCS)

| APROMS # | Oracle # | Description | Charles Part # |
|-----------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| | ATT.200003724 | 10" CFDP FTTCS pedestal, universal split base, fiber organizer w/6 LC/UPC duplex bulkhead adapters (12CFDP210-EL12L/A connections) for PTP, 1 splice tray, 2 inner doors, 1 12-fiber LC/UPC ribbon fan-out, 2 hose clamps, 2 ground braids and 6 D-clips | |
| 316089358 | ATT.100028629 | 10" CFDP FTTCS pedestal, universal split base, fiber organizer w/24 SC/UPC adapter bulkhead for PTP,CFDP210-EL24F/A 2 splice trays, 2 inner doors, 2 12-fiber SC/UPC ribbon fan-outs, 2 hose clamps, 2 ground braids and 6 D-clips | |
| 316089366 | ATT.100028630 | 10" CFDP FTTCS pedestal, handhole-mount base with mounting hardware, fiber organizer w/24 SC/UPCCFDP210EVL24F/A adapter bulkhead for PTP, 2 splice trays, 2 inner doors, 2 12-fiber SC/UPC ribbon fan-outs, 2 hose clamps, 2 ground braids and 6 D-clips | |
| | ATT.200006835 | 10" CFDP FTTH pedestal, universal split base, fiber organizer w/12 SC (green) bulkhead adapters, 1 splice trayCFDP210-EL12A/A 2 inner doors, 1 12-fiber SC/APC ribbon fan out, 2 hose clamps, 2 ground braids and 6 D-clips | |
| 335060968 | ATT.100004177 | 8" CFDP, expanded split base, fiber backboard with door, copper backboard on reverse sideCFDP8-ECS/BS0 | |
| 335060967 | ATT.100004181 | 8" CFDP, expanded split base, fiber backboard with door, copper backboard on reverse side, 30" mounting stake . . .CFDP8-ECS/BST | |



**CFDP210-EL12L/A (left)
AND CFDP210-EL24F/A (right)
FTTCS PEDESTALS WITH
FIBER SPLICE COMPARTMENT AND
BULKHEAD ADAPTERS**

Accessories and Replacement Parts for CFDP Pedestals

| APROMS # | Oracle # | Description | Charles Part # |
|-----------|---------------|------------------------------------------------------------------------------------------------|-----------------|
| 316135557 | ATT.100052849 | HOME REPLACEMENT KIT FOR CFDP 10"x 35" | 80-001805-F |
| 310141155 | ATT.100001742 | MOLDED INNER DOME CFDP 6" x 21.3" | 80-002042-F |
| 310141163 | ATT.100001744 | MOLDED INNER DOME CFDP 8" SHORT | 80-002043-F |
| | ATT.100017450 | MOLDED INNER DOOR CFDP 6" | 80-002057-F |
| | ATT.100017451 | MOLDED INNER DOOR CFDP 8" | 80-001813-F |
| 310142310 | ATT.100001760 | BACKPLANE CFDP 6" | 80-002285-F |
| 310142328 | ATT.100001762 | BACKPLANE CFDP 8" | 80-002286-F |
| 316089374 | ATT.100028631 | BULKHEAD, 8 POSITION, SC/UPC ADAPTERS, FOR RING CONFIGURATIONS, FITS FTTCS PEDESTALS | 80-002665-F |
| 310141171 | ATT.100001746 | GROMMET KIT DROP SIDE INNER CFDP 6" NON-METALLIC BACKBOARD 50 PCS | 97-001753-A |
| 310141098 | ATT.100039090 | GROMMET KIT DROP SIDE OUTER CFDP 6" NON-METALLIC BACKBOARD 50 PCS | 97-001910-A |
| | ATT.100004015 | D RING KIT CPLM 5 PCS | 97-001757-A |
| 310141106 | ATT.100004039 | GROMMET KIT CO SIDE INNER CFDP 6" NON-METALLIC BACKBOARD 50 PCS | 97-001911-A |
| 310141114 | ATT.100001752 | INNER DOME TOP SNAP FASTENER CFDP 25 PCS | 97-001912-A |
| 310141122 | ATT.100001754 | CABLE ATTACHMENT CFDP 25 PCS | 97-001913-A |
| | ATT.100003795 | MOUNTING HINGE FOR SPLICE TRAY CFDP 12 PCS | 97-001914-A |
| 316042100 | ATT.100415910 | GROMMET KIT DROP SIDE CFDP 8" METAL BACKPLANE 50 PCS | 97-001915-A |
| 316042118 | ATT.100415920 | GROMMET KIT CO SIDE CFDP 8" METAL BACKBOARD 50 PCS | 97-001916-A |
| 310141148 | ATT.100001758 | DROP CHANNEL KIT SQUARE BASE, INCLUDES 10 DROP CHANNELS AND DROP CHANNEL PLUGS | 97-500524-A |
| | ATT.100004057 | DROP CHANNEL FOAM PLUG, SQUARE BASE, 25 PCS PER KIT | 39-300962-F |
| 306135573 | ATT.100052851 | BOND BAR REPLACEMENT KIT 7 POSITION REMOVABLE CFDP 6" 10 PCS | 97-CFDP206BNDXT |
| 316135565 | ATT.100052850 | BOND BAR REPLACEMENT KIT 7 POSITION REMOVABLE CFDP 8" 10 PCS | 97-CFDP208BNDXT |
| 316135532 | ATT.100052847 | BOND BAR REPLACEMENT KIT 13 POSITION REMOVABLE CFDP 10" 10 PCS | 97-CFDP210BNDXT |
| 316135540 | ATT.100052848 | MOISTURE BARRIER PAD FOR VAULT MOUNT APPLICATION | 97-CP210MSTRBR |
| 316042126 | ATT.100415930 | FIBER SPLICE TRAY FOR CFDP ACCOMMODATES 12 to 24 FIBERS | 97-FIBR24TRAY |
| | ATT.100088172 | HINGED FIBER SPLICE TRAY FOR CFDP ACCOMMODATES 12 to 24 FIBERS | 97-FIBR24HTRAY |
| | ATT.100088109 | RETROFIT KIT, 8-POSITION SC/APC BULKHEAD BASKET FOR CFDP-EPS 6" AND 8" | 97-RFB08SCAPC |
| | ATT.200000990 | FANOUT KIT, 8-FIBER SC/APC CONNECTORS, LOOSE-TUBE, 3 METERS | 97-SCA08LF3M/A |
| | ATT.200000993 | SC ADAPTER KIT, 8 GREEN SC ADAPTERS FOR APC CONNECTORS | 97-SCAPC08ADT/A |
| 316058320 | | VAULT MOUNT KIT FOR 10" SQUARE BASE PEDESTALS | 97-VLTBASKIT10S |
| 316058338 | | VAULT MOUNT KIT FOR 12" SQUARE BASE PEDESTALS | 97-VLTBASKIT12S |
| | ATT.100017448 | CLOSURE PEDESTAL DOME REPLACEMENT SELF LOCKING 8" x 35" | CFDP 8-DOME/BST |
| | ATT.100004031 | LOCKING BOLT KIT 25 PCS | 003232F |
| 316123751 | ATT.100052852 | VAULT MOUNTING HARDWARE KIT FOR SHORT EXPANDED BASES, 6" 8" 10" 12" | 97-002041-F |
| 310141130 | ATT.100001756 | GROUND LUG KIT #6 100 PCS | 97-500512-A |
| 301008561 | ATT.100004143 | HI VISIBILITY KAP ORANGE 6" 50 PCS | 97-PKOR06-A |
| 301008579 | ATT.100004153 | HI VISIBILITY KAP ORANGE 8" 50 PCS | 97-PKOR08-A |
| 301008595 | ATT.100004135 | HI VISIBILITY KAP ORANGE 10" 50 PCS | 97-PKOR10-A |
| | ATT.100004091 | GROUNDING STRAP ROPELAY 14" 12 PCS | .CGBK-14H |
| 301018495 | ATT.100004029 | CLOSURE PED CPL POLE BRACKET | .UMB102A |
| | ATT.100004019 | MOUNTING STAKE KIT 30" WITH HARDWARE 1 PC (MINIMUM ORDER = 10 PCS) | .UMS30-STD |
| 316134733 | ATT.100004099 | MOUNTING STAKE KIT 42" WITH MOUNTING HARDWARE 1 PC (MINIMUM ORDER = 10 PCS) | .UMS42-STD |

Charles Multi-Purpose Housings (CMPH)

Charles Multi-Purpose Housings (CMPH) with Fiber Splice Brackets

| APROMS # | Oracle # | Description | Charles Part # |
|-----------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| 316012111 | ATT.100004183 | Non-metallic multi-purpose housing, 2-piece base, 26.5"x48.5"x14", non-flame retardant, 2 fiber brackets | ...CMPH-750SFNH/AT |
| 316012129 | ATT.100004185 | Non-metallic multi-purpose housing, 2-piece base, 26.5"x48.5"x14", non-flame retardant, 2 fiber brackets, 2 30" mounting stakes | ...CMPH-751SFNH/AT |
| | ATT.200004311 | Non-metallic multi-purpose housing, 37"x56"x23", non-flame retardant, for storing sealed fiber splice closure (D-sized) with fiber slack storage (2-3 40' long, 432-864 fibers each max) | ...CMPH-850FN/ATT |
| 374052389 | ATT.100004065 | One offset fiber optic bracket (retrofit kit for installed CMPH) | ...CMPH-FOBRKT |
| | ATT.100088171 | Non-metallic multi-purpose housing, 26.5"x48.5"x14", 2-piece base, non-flame retardant, (1) 10" CPLU copper backboard, (1) 10" CFDP-EL fiber interconnect backboard w/24 SC/UPC bulkhead adapters, (2) 12-fiber SC/UPC ribbon fanouts | ...CMPH-7SN11UIB/A |
| | ATT.200001543 | Non-metallic multi-purpose housing, 26.5"x48.5"x14", 2-piece base, non-flame retardant, for storing copper splices (up to 600 pairs) & a sealed fiber splice closure (D-sized) with fiber slack storage (2-3 40' long, 60 fibers each max) | ...CMPH751SFNHCU/A |
| | ATT.200001544 | Non-metallic multi-purpose housing, 42"x58"x30", non-flame retardant, for storing copper splices (up to 4000 pairs) and a sealed fiber splice closure (D-sized) with fiber cable slack storage (2-3 40' long, 432-864 fibers each max) | ...CMPH-950DFNCU/A |



CMPH-750SFNH/ATT & CMPH-751SFNH/ATT WITH OFFSET FIBER OPTIC STORAGE BRACKETS



CMPH-850FN/ATT WITH OFFSET FIBER OPTIC STORAGE BRACKETS (2 SECTION DOME)



CMPH-7SN11UIB/A COPPER/FIBER ENCLOSURE FTTB & CELLSITE SOLUTION
(shown with installed fiber and copper splices)



CMPH751SFNHCU/A COPPER & SEALED FIBER SPLICE CLOSURE SOLUTION



CMPH-950DFNCU/A COPPER & SEALED FIBER SPLICE CLOSURE SOLUTION (2 SECTION DOME)

FOR MORE INFORMATION:

For the name of your Regional Account Manager, or for general inquiries, please contact:

Lucia Barth
lbarth@charlesindustries
Sales Support Specialist
(847) 258-8302

