

Amphenol Charles Industries' Z05 and Z06 Series Vented Vertical Pedestals provide ease of installation and maintenance and robust protection for active and passive devices, including fiber components in below-grade outside plant cable environments. The pedestals are built with UV-stabilized high-impact resistance HDPE and have a thermally optimized integrated insect-resistant vented design. This innovative design provides a robust pedestal housing that protects to house active and passive components in RF and Fiber network deployments. In addition, several different bracket configurations are available to mount various hardware.

Installation:

The pedestal has been designed for stability and mitigates pull-over. During installation, bury the pedestal base to the desired depth in the ground and backfill. Additionally, the pedestals come with various self-locking dome options to address specific security requirements. Contact Amphenol Charles or Amphenol Broadband Solutions today for further questions or more information.

MARKETS SERVED:

- ☒ Telecom / FTTX
- ☒ Utility
- ☐ Wireless
- ☒ Broadband Cable



Z05 & Z06 PEDESTAL

FEATURES

- Secure and robust for all weather conditions with high-impact resistant UV stabilized material
- Thermally optimized integrated vent design for reliable operation in all environments
- Craft-friendly one-piece dome comes with a self-latching lock that slides easily into secure locking position temporary drop access
- All hardware and bracket options are constructed of aluminum and stainless steel for sturdiness
- 360° access and rectangular shape provide increased workable area


INTERNAL BRACKET CONFIGURATIONS



Z05/Z06 Vented Vertical Pedestals


Z05 Outline Dimensions

all dimensions are in inches




Z06 Outline Dimensions

all dimensions are in inches



Z05/Z06 Bracket Options



Lock Options



Z05/Z06 Standard Pedestals Part Numbers

<u>Part Number</u>	<u>Description</u>	<u>Pallet Qty.</u>
Z05SS07-20000BK	Z05 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, mounting stake	6
Z05SS07-20017BK	Z05 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, upright with dual offset fiber wrap brackets and strand C-bracket	6
Z05SS07-20024BK	Z05 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, mounting stake with strand C-Bracket	6
Z06SS07-20000BK	Z06 12"x12" Vented Pedestal, 30" self locking dome with 7/16" hex lock, light green, mounting stake	6
Z06SS07-20017BK	Z06 12"x12" Vented Pedestal, 30" self locking dome with 7/16" hex lock, light green, upright with dual offset fiber wrap brackets and strand C-bracket	6
Z06SS07-20024BK	Z06 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, mounting stake with strand C-bracket	6

Contact your Amphenol Broadband Solutions or Amphenol Charles Industries sales representative for availability of different lock type (P-key) or colors (Dark Green)




Charles Industries, LLC

An Amphenol Company

1450 American Lane, 20th Floor, Schaumburg, IL 60173

 mktserv@charlesindustries.com

 (847) 806-6300

