

Amphenol Charles Industries' Z05 and Z06 Series Vented Vertical Pedestals provide ease of installation and maintenance and robust protection for active and passive devices, including fiber components in below-grade outside plant cable environments. The pedestals are built with UV-stabilized high-impact resistance HDPE and have a thermally optimized integrated insect-resistant vented design. This innovative design provides a robust pedestal housing that protects to house active and passive components in RF and Fiber network deployments. In addition, several different bracket configurations are available to mount various hardware.

Installation:

The pedestal has been designed for stability and mitigates pull-over. During installation, bury the pedestal base to the desired depth in the ground and backfill. Additionally, the pedestals come with various self-locking dome options to address specific security requirements. Contact Amphenol Charles or Amphenol Broadband Solutions today for further questions or more information.

MARKETS SERVED:

- ☒ Telecom / FTTX
- ☒ Utility
- ☐ Wireless
- ☒ Broadband Cable



Z05 & Z06 PEDESTAL

FEATURES

- BEAD/BABAA compliant product
- Secure and robust for all weather conditions with high-impact resistant UV stabilized material
- Thermally optimized integrated vent design for reliable operation in all environments
- Craft-friendly one-piece dome comes with a self-latching lock that slides easily into secure locking position temporary drop access
- All hardware and bracket options are constructed of aluminum and stainless steel for sturdiness
- 360° access and rectangular shape provide increased workable area


INTERNAL BRACKET CONFIGURATIONS



Z05/Z06 Vented Vertical Pedestals


Z05 Outline Dimensions

all dimensions are in inches




Z06 Outline Dimensions

all dimensions are in inches



Z05/Z06 Bracket Options



Lock Options



Z05/Z06 Standard Pedestals Part Numbers





Part Number	Description	Pallet Qty.
Z05SS07-20000BK	Z05 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, mounting stake	6
Z05SS07-20017BK	Z05 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, upright with dual offset fiber wrap brackets and strand C-bracket	6
Z05SS07-20024BK	Z05 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, mounting stake with strand C-Bracket	6
Z06SS07-20000BK	Z06 12"x12" Vented Pedestal, 30" self locking dome with 7/16" hex lock, light green, mounting stake	6
Z06SS07-20017BK	Z06 12"x12" Vented Pedestal, 30" self locking dome with 7/16" hex lock, light green, upright with dual offset fiber wrap brackets and strand C-bracket	6
Z06SS07-20024BK	Z06 12"x12" Vented Pedestal, 25" self locking dome with 7/16" hex lock, light green, mounting stake with strand C-bracket	6
Z06SS07-20025BK	Z06 12"x12" Vented Pedestal, 30" self-locking dome with 7/16" hex lock, light, mounting stake with strand C-bracket	6

Contact your Amphenol Broadband Solutions or Amphenol Charles Industries sales representative for availability of different lock type (P-key) or colors (Dark Green)



Looking for other BABA compliant products for BEAD funded projects? Please inquire with us for more information.

Charles Industries, LLC
An Amphenol Company
1450 American Lane, 20th Floor, Schaumburg, IL 60173

 mktserv@charlesindustries.com
 (847) 806-6300

