

Pedlock[®] BDO Series Fiber Interconnect Pedestals for SC Connectorized Drops

Buried Distribution Pedestals designed for SC connectorized drop cables in Fiber-to-the-Home (FTTH) Networks

Amphenol Charles Industries' BDO-EG-SC Interconnect Low-Profile (BDO-EG-SC) Pedestals provide a drop-side "interconnectpanel" for connectorized SC-style fiber drops to multiple broadband service customers. The BDO-EG-SC pedestal is ideal for fiber-tothe-home (FTTH) network deployments as well as multi-tenant cell site, campus or strip mall environments where the customer requires high-capacity fiber bandwidth for data and video broadband services, wireless backhaul, private networks or data and video broadband services. With a built-in SC/ APC or SC/UPC adapter bulkhead, the BDO-EG-SC pedestals facilitate fast and easy provisioning of fiber services to the end customer's equipment. Fiber drops can be turned up, moved or disconnected on an "as needed" basis; giving the service provider added flexibility in their efforts to provide broadband voice, data and video services to customers whose bandwidth requirements may change seasonally or for test access purposes.

MARKETS SERVED:



- Wireless
- Broadband Cable







BDO204-EGT08 Left: Central Office Side, Right: Drop Side

BDO205-EGT08 Left: Central Office Side, Right: Drop Side

FEATURES

- Non-metallic PVC construction won't rust, corrode, chip or fade. Internal components are protected from floods, fires, and wind-blown dust and debris
- Fiber organizer backboards accommodate all commonly used fiber splice trays with a 4"x9" footprint; 10" diameter pedestal also accepts 4"x12" or 6"x15" trays
- Two-piece expanded-capacity "split" base makes it easy for technicians to place the pedestal over conduit-fed cable bundles, and are an ideal solution for rehabilitating metallic enclosures
- Multi-position bond bar with #6 ground lug meets requirements for bonding and grounding of service wires and cable sheaths
- Lift-off dome provides 360° access to internal splicing area
- Dome attaches securely to the base using a self-locking 216-hex head bolt lock
- Vault mount base available



D-OSP185-F25

Product Dimension

Series 2 Split Base with Stake Dimensions



All dimensions are in inches

| Size | А | В | С | D | E | F | G | н | - I | J |
|------|------|------|------|------|------|------|----|------|------|------|
| 6 | 7.4 | 28.7 | 43.1 | 34.5 | 31.3 | 65.9 | 31 | 10.8 | 9.8 | 9.9 |
| 8 | 9.1 | 28.4 | 42.8 | 34.2 | 31.4 | 65.6 | 31 | 11.8 | 10.8 | 10.9 |
| 10 | 11.7 | 30.7 | 45.6 | 37 | 31.4 | 68.4 | 31 | 13.8 | 12.8 | 12.9 |

| Size | Α | В | С | D | E |
|------|------|------|------|------|------|
| 6 | 7.4 | 28.7 | 34.7 | 10.8 | 9.8 |
| 8 | 9.1 | 28.4 | 34.5 | 11.8 | 10.8 |
| 10 | 11.7 | 30.7 | 37.2 | 13.8 | 12.8 |



an Amphenol company

- D -

E

D-OSP185-F25

Product Specifications

| Diameter | 6" | 8" | 10" |
|---|---|---|---|
| Drop Quantity Total adapter positions SC adapters included | 8 8 | 12 8 | 12 8 |
| 12 Fiber Ribbon Storage (Opening 12ft±2ft)* | 24 Ribbons | 36 Ribbons | 72 Ribbons |
| Loose Tube Storage (Opening 12ft±2ft) | 8 Tubes | 12 Tubes | 24 Tubes |
| Splice Tray Capacity | 2 (4"×9") | 2 (4"x9") | 7 (4"x9") or 5 (6"x15") |
| 12 Fibers per Tray | 24 | 24 | 84 |
| 24 Fibers per Tray | 48 | 48 | 168 |
| 144 FOSC A/B Fiber Ribbon Tray** | 144 | 144 | 432 |
| PART NUMBERS | | | |
| 8 SC/APC adptrs (green) 8 SC/APC adptrs, splice tray 8 SC/APC adptrs, splice tray, 8-fiber fanout | BDO203-EG08 BDO203-EGT08 BDO203-EGT08F | BDO204-EG08 BDO204-EGT08 BDO204-EGT08F | BDO205-EG08 BDO205-EGT08 BDO205-EGT08F |
| 8 SC/UPC adptrs (blue) 8 SC/UPC adptrs, splice tray 8 SC/UPC adptrs, splice tray, 8-fiber fanout | BDO203-EG08B BDO203-EGT08B BDO203-EGT08BF | BDO204-EG08B BDO204-EGT08B BDO204-EGT08BF | BDO205-EG08B BDO205-EGT08B BDO205-EGT08BF |

Notes:

- Pedestals ship standard with an accessory kit, including two (2) hose clamps, two (2) bond braids, drop wire channel, drop wire channel plug, and moisture barrier sheet.

- Maximum splice capacities shown are for cable-to-cable splices. Overall splice capacity is reduced as drop splices are introduced. For drop splicing, Charles recommends using a 12 Fiber Tray with a maximum of 6 drops per tray.

*Ribbon D-clips ordered separately. **Capacities shown achieved using FOSC A/B Ribbon Fiber Tray(s).



Vault mount base configurations, including cover mounting brackets and moisture barrier pad, are available by adding a "V" after designated square base character ("E") of part number (Example: BDO204EV02OPT). Vaults with covers cutout to fit the Charles' pedestal bases are available through Charles and most 3rd party vault manufacturers.

Ordering Specification

| Charles Part Number | Description |
|---------------------|---|
| BDO203-EG08 | 6" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/8 position bulkhead , 8 SC/APC |
| | adapters, bond bar and accessory kit |
| BDO203-EGT08 | 6" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/8 position bulkhead , 8 SC/APC |
| | adapters, bond bar, splice tray and accessory kit |
| BDO203-EGT08F | 6" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/8 position bulkhead , 8 SC/APC |
| | adapters with Fanout, bond bar, splice tray and accessory kit |
| BDO204-EG08 | 8" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/12 position bulkhead , 8 SC/APC |
| | adapters, bond bar and accessory kit |
| BDO204-EGT08 | 8" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/12 position bulkhead , 8 SC/APC |
| | adapters, bond bar, splice tray and accessory kit |
| BDO204-EGT08F | 8" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/12 position bulkhead , 8 SC/APC |
| | adapters with Fanout, bond bar, splice tray and accessory kit |
| BDO205-EG08 | 10" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/12 position bulkhead , 8 SC/APC |
| | adapters, bond bar and accessory kit |
| | |



D-OSP185-F25

charlesindustries.com

Ordering Specification

| <u>Charles Part Number</u> | Description |
|----------------------------|--|
| BDO205-EGT08F | 10" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/12 position bulkhead , 8 SC/APC |
| | adapters with Fanout, bond bar, splice tray and accessory kit |
| BDO203-EG08B | 6" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/8 position bulkhead , 8 SC/UPC |
| | adapters, bond bar and accessory kit |
| BDO203-EGT08B | 6" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/8 position bulkhead , 8 SC/UPC |
| | adapters, bond bar, splice tray and accessory kit |
| BDO203-EGT08BF | 6" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/8 position bulkhead , 8 SC/UPC |
| | adapters with Fanout, bond bar, splice tray and accessory kit |
| BDO204-EG08B | 8" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/12 position bulkhead , 8 SC/UPC |
| | adapters, bond bar and accessory kit |
| BDO204-EGT08B | 8" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/12 position bulkhead , 8 SC/UPC |
| | adapters, bond bar, splice tray and accessory kit |
| BDO204-EGT08BF | 8" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/12 position bulkhead , 8 SC/UPC |
| | adapters with Fanout, bond bar, splice tray and accessory kit |
| BDO205-EG08B | 10" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/12 position bulkhead , 8 SC/UPC |
| | adapters, bond bar and accessory kit |
| BDO205-EGT08B | 10" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/12 position bulkhead , 8 SC/UPC |
| | adapters, bond bar, splice tray and accessory kit |
| BDO205-EGT08BF | 10" fiber pedestal, expanded square base, Greenfield fiber splicing organizer w/12 position bulkhead , 8 SC/UPC |
| | adapters with Fanout, bond bar, splice tray and accessory kit |
| BDO203-EVG08 | 6" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/8 position bulkhead , 8 SC/APC adapters, bond bar and accessory kit |
| BDO203-EVGT08 | 6" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/8 position bulkhead , 8 SC/APC adapters, bond bar, splice tray and accessory kit |
| BDO203-EVGT08F | 6" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/8 position bulkhead , 8 SC/APC adapters with Fanout, bond bar, splice tray and accessory kit |
| BDO204-EVG08 | 8" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/APC adapters, bond bar and accessory kit |
| BDO204-EVGT08 | 8" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/APC adapters, bond bar, splice tray and accessory kit |
| BDO204-EVGT08F | 8" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/APC adapters with Fanout, bond bar, splice tray and |
| | accessory kit |
| BDO205-EVG08 | 10" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/APC adapters, bond bar and accessory kit |
| BDO205-EVGT08 | 10" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/APC adapters, bond bar, splice tray and accessory kit |
| BDO205-EVGT08F | 10" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/APC adapters with Fanout, bond bar, splice tray and |
| | accessory kit |
| BDO203-EVG08B | 6" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/8 position bulkhead , 8 SC/UPC adapters, bond bar and accessory kit |
| BDO203-EVGT08B | 6" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/8 position bulkhead , 8 SC/UPC adapters, bond bar, splice tray and accessory kit |



Ordering Specification

| Charles Part Number | Description |
|---------------------|--|
| BDO203-EVGT08BF | 6" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/8 position bulkhead , 8 SC/UPC adapters with Fanout, bond bar, splice tray and accessory kit |
| BDO204-EVG08B | 8" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/UPC adapters, bond bar and accessory kit |
| BDO204-EVGT08B | 8" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/UPC adapters, bond bar, splice tray and accessory kit |
| BDO204-EVGT08BF | 8" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/UPC adapters with Fanout, bond bar, splice tray and accessory kit |
| BDO205-EVG08B | 10" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/UPC adapters, bond bar and accessory kit |
| BDO205-EVGT08B | 10" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/UPC adapters, bond bar, splice tray and accessory kit |
| BDO205-EVGT08BF | 10" fiber pedestal, expanded square vault mount base with mounting hardware, moisture pad, Greenfield fiber |
| | splicing organizer w/12 position bulkhead , 8 SC/UPC adapters with Fanout, bond bar, splice tray and |
| | accessory kit |

Pedestal Accessories

| 97-FIBR24TRAY | Charles 24 Fiber Splice Tray, 4"x9" |
|----------------|--|
| UMS36-STD | 36" Metal Mounting Stake w/hardware |
| UMS42-STD | 42" Metal Mounting Stake w/hardware |
| UMB102A | Universal Pole Mount Bracket w/hardware |
| 97-RIBNCLIPKIT | Ribbon saddle clip kit (6" and 8" size), 40 ea. |
| 97-RIBNCLIPLG | Ribbon saddle clip kit large (10" size), 40 ea |
| 97-RIBNTUBEKIT | 3M® ribbon transportation tube kit, 3 ft., 10 ea |
| 97-RIBNTRAY144 | Commscope \mathbbm{R} FOSC A/B ribbon splice tray (12 ribbons, 144 fibers), 1 each |
| KIT-SCAPC12-A | SC adapters, green, for APC connectors, 12 pcs. |
| KIT-SCUPC12-A | SC adapters, green, for UPC connectors, 12 pcs. |
| 97-SCA08LT3M | 8-fiber SC/APC connectors fanout assembly |
| 97-SCU08LT3M | 8-fiber SC/UPC connectors fanout assembly |
| 97-SCA12LT3M | 12-fiber SC/APC connectors fanout assembly |
| 97-SCU12LT3M | 12-fiber SC/UPC connectors fanout assembly |
| PS-SABFM03-2A2 | Pigtails, SC/APC-stub, 2mm jacket, yellow, 3 meters, 2 pcs. |
| PS-SUBFM03-2A2 | Pigtails, SC/UPC-stub, 2mm jacket, yellow, 3 meters, 2 pcs. |
| | |

Charles Industries, LLC An Amphenol Company 1450 American Lane, 20th Floor, Schaumburg, IL 60173

Rktserv@charlesindustries.com







D-OSP185-F25